



JC10 Rec'd PCT/PTO 27 APR 2005 ^{PCT}

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

JAPAN AS REPRESENTED BY THE
PRESIDENT OF NATIONAL
CARDIOVASCULAR CENTER ET AL.

Serial No. ~~to be assigned~~ 10/510,132 ✓

Atty. Ref.: 1035-530

TC/A.U.: to be assigned

Filed: October 4, 2004

Examiner: to be assigned

For: TITANIUM OXIDE COMPLEX AND PRODUCTION METHOD
THEREOF, AND MEDICAL MATERIAL USING THE SAME.

* * * * *

April 27, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

STATUS INQUIRY

An application was filed on October 4, 2004. However, since then applicant has not received any Official Action from the Patent Office regarding the application.

Inquiry is made as to when an Action will be forthcoming.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: Frank P. Presta

Frank P. Presta
Reg. No. 19,828

FPP:lcb
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

pct



JC10 Rec'd PCT/PTO 27 APR 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

International Patent Application of

JAPAN AS REPRESENTED BY THE
PRESIDENT OF NATIONAL
CARDIOVASCULAR CENTER ET AL.

Atty. Ref.: 1035-530

Serial No. ~~to be assigned~~ 10/510,132

TC/A.U.: to be assigned

Filed: October 4, 2004

Examiner: to be assigned

For: TITANIUM OXIDE COMPLEX AND PRODUCTION METHOD
THEREOF, AND MEDICAL MATERIAL USING THE SAME.

* * * * *

April 27, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Sir:

STATUS INQUIRY REGARDING FILING RECEIPT

An application was filed on October 4, 2004. However, since then applicant has not received the official Filing Receipt from the Patent Office regarding the application. Inquiry is made as to when the Filing Receipt will be forthcoming.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By: 
Frank P. Presta
Reg. No. 19,828

FPP:lcb
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100